34 The amenorhagic state of fever.

The Absence & suppression of menses is generally attended with most of the symptoms of fever, for which reason ~~which~~ Venesection prescribe in this dis~~order~~case without feeling the pulse, & let all your prescriptions be regulated by it. In cases of great action, the Remedies should be 1 vs. 2 purges, especially aloes. In cases of weak action, tonics especially Chalybeates, exercise, calomel. — In Emansio minium the state of the Vagina should be exam^d: I have known ~~two~~ cases

V A Mr Pomme advises cold drinks, cold Bath, & cold Glysters for obstructed menses. These remedies must be useful only in cases of great morbid action. They justify our theory. They are the more proper if menstr. is a secretion as Dr Saunders supposes.

from imperforated hymen. ~~This~~ The
disease from Obst. menses is often
fatal, but is rendered ~~so~~ chiefly
by Physicians by neglecting to
examine the Pulse, & by the in-
-discriminate use of what are
called emmagogue medicines.

90 h° n° 7. 259

35 Scamosh. State of fever. ~~Ca~~
common disease - occurs in Gout.
— Often produces fatal Consequences,
from being considered as a local
Disease. Is as much a disease
of the whole System as pleurisy,
or angina. Its Remedies fol.

+ It occurs in Kentucky in the Spring from ~~fossils~~ pollen of plants. In Louisiana from fine particles of Clam shells with which they pave their Streets. —

V says it alternates with Dysentery. It is common in Egypt where the plague is Epidemic. Volney says out 100 persons whom he met in the Streets of Cairo 20 were blind, 10 wanted an eye, & 20 others had ye eyes red, purulent or blemished — Here red: in a low state. —

be regulated by the pulse. If tense
1 Vs. – 2. general & local purges especially Sulph.
3 cold water. ~~So pres~~ When the
action is weakened, tar ointment
galls – Smoke of old Leather shoe –
opium &c – should be attended
to in all gouty habits – the translation
of morbid action easy here to
other and more vital parts.

go to 264 no 7.
36. The Opthalmia state of fever.
great mischief from treating it
as a local disease – often occurs
with Epidemic general fevers,
as Dig. – here read Hawkins',
voyage to Africa p. 176 where

It often prevails in the Autumn with bilious fevers — was common in 1793. 1794. The Pulse ought always be felt in Opthalmia — the Remedies the same as for common fevers. 1 Vs: general & local. 2 purges. 3 Vomits. 4 Cold applications. 5 Blisters — to the neck — ears — temples, perhaps best to the legs. — Afterwards tonics. as 1 Cort pers: . 2 Opium. Dr Campbell's fact. 3 cold Bath — 4 Exercise — tonic applications to the eyes — Lead water — White Vit: Inf: of Cort pers — Galls & opium in water. — go to 32. of No 1

No 38 The Convulsive or Spasmodic State of fever.

Many fevers occur with Convulsions particularly in Children. They always indicate great force of stimulus, or great irritability of the whole nervous system. They require & generally yield to V.S. - cool air - purges & L. laud: - Cool air very proper in the small pox - instead of hot water.

Spasms are of two kinds tonic & clonic. The first are constant, the last alternate with relaxation. The Spasmodic states of fever are of the clonic kind most generally. Some of them both as Tetanus.

The 3 Diseases which belong here are 1 Hooping Cough. 2nd: Tetanus 3 Hydrophobia. —

The Hooping Cough —

is from ~~Cont~~ the Stimulus of Contagion. It affects the Trachea & lungs with a convulsion. It is often attended with fever; the pulse - suffusion of the eyes & face, & hemorrhages all indicate 1 V.S. — 2 purges especially of Cal: & Rhub: 3 Vomits. 4 Cold Air. ~~5~~ 5 Blisters - pitch plaster. 6 fear. Riding on a Bear. —

Tonics. 1. Oper: Lime - Sac: Saturn: Tinct: Asafetid

2 Cold Bath - 3 Exercise.

Tetanus

It is produced by all the causes of fever, more especially cold & fresh miasmata. It ~~occurs~~ is a misplaced fever. It occurd in the year 1793 in many cases. I shall read you Dr Gindlestone's acc^t of it in the East Indies.

2 It occurs from wounds. ~~[illegible]~~ ~~[illegible]~~ read no: 9. p 392 - omitting - 2nd: from cold.

The Remedies shd be varied with its remote & exciting causes. —

~~If~~ It has its precursors - viz Stiff neck pain in the back - Startings &c - here a moderate stimulus causes before violent action occurs - ~~If~~ from a wound - shd be dilated & inflamed.

action & morbid excitement thereby abstracted from the muscles & law ~~as~~ to which it is visited by its having no antagonist muscles - or in other words by greater predisposing debility than any other muscle in the body. —

[The matters to excite inflam^n the be Turpent: Salt - Canth: or Lublim: I have used them all.] —

The Remedies ~~after this~~, are the same whatever be its remote or exciting cause - ~~they all act only as stimulant.~~ They are 1 V.S. used by Dr Hopkins Dr Potter & many others. 2 Emetics. I have used them with success. They take down & divert morbid action from the muscles. 3 Cold water - best applied a long while & not used as a Bath. —

4.
th
= la
in
la
we
di
wo
ol
be
tic
dep
ha
an
Th
y
th

4 purges. After the morbid action is
thus weakened, either by Remedies or time, use - Tonics, or stimu=
=lants. These should be 1 Bark —
Wine - Ol: Succin: and Opium. The
last used as a Specific, when we
were ignorant both of the nature of the
disease & of the manner ~~of the~~ in
which Opium acted. It is inferior to
all the other tonics, but should not
be laid aside. 2 Cold Bath 3 A Salivation. Begin soon with it. — ~~or~~
~~depletion if called late.~~

By the use of these remedies, I
have in many instances prevented, & cured this one formidable disorder.
Twice in the hospital publichly, &
yet death has since been permitted to
take place there under the use of

v should be called Tetanic state of fever.

simple opium, & amputation.
Read Dr Gindlestone's case. —

Hydrophobia. [Thd. be under
malig. state of fever or anginose]
In entering upon the consideration
of this disease, I feel as David did when
he approached Goliah — In full confi=
=dence of the truth and truth of
the principles which I have taught,
I have no doubt of overcoming it.
my Remedies for this purpose shall
be as simple as ~~David the little~~ ~~Boy~~ ~~the Shepard's~~ of the Shepard's boy
the stone and sling. They
shall consist of nothing but ~~the~~
~~Lancet~~ depleting & ~~a few~~ tonic remedies. —

For a history of the symptoms
of the disease see Dr Boerhaave &c

v The Soldier & the Clergyman.

11 – The contagion of typhus fever
see Notes. –

12 Hydrocephalus. Mr Woodhouse's boy

Mease's thesis.

Its remote & exciting causes are
1 ~~cold~~ the bite of a rabid animal as
dogs - cats - wolves - foxes & some say
poultry. ~~& so~~ Blood must be drawn
to produce the disease, as certainly
as in producing the small pox, no Dr King's case.
is the most frequent - those from the causes ch follow
are called spontaneous. This
2 Cold Night Air. Dr Asthand &c.
3 A wound in a tendinous part.
4 Impure putrid Aliment.
5 worms. 6 Hysteria. 7 Beach Nuts
8 great thirst. 9 Apociation. 10 fear

They all act by inducing directly
or indirectly a morbid action in the
System. That from the saliva of a mad animal is
an action of the highest grade.
It ranks therefore ~~with~~ in point of

✓ In 3 cases but quoted by Dr Mead —
there was no dread of water. There are
are grades of aversion from water —
1 It cannot be drunken without exciting
convulsions. 2 It cannot be touched with
Do. — 3 The ~~sa~~ sound of it in pouring from
one vessel to another excites convulsions
& 4ly The sight of it has the same effect
* ~~from simply~~ originally a fever, ~~ab~~ with misplaced
symptoms I infer from its being ~~chiefly~~ the
offspring of a fever in a rapid animal.
~~A mad dog~~ Canine madness is nothing
but a fever which like many other fe-
-vers generates a matter of an infectious
nature. See Arthur Young, Alt.
There may be madness in a dog
without generating ~~the~~ an infectious ~~matter~~ quality
in the saliva, just as there are bilious

force with the plague & yellow fever.
I shall confine myself to it.
~~I infer this~~ It affects the ~~jaws~~ throat
specifically as marsh miasmata do the
liver, & small pox the skin. That it
But again – that it is a fever
is ~~a disease~~ of the first grade. I infer
~~from the its being too violent to~~ ~~unaccompanied with~~
~~the usual symptoms of violent fever~~
~~induce inflammation – have upon~~
~~dissections exhibit but small marks~~
~~of it in the throat – fauces, & brain &~~
~~acces~~ of gangrene. – 2 from its
killing in 1.2 or 3.4.5 days like ~~these two~~
malignant fevers. 3 from the symptoms
being exactly the same as those which
occur in malignt. fevers. These according
to Dr Fothergill are, small quick – tense – hard
irregular pulse – cool skin cold & clammy hands –
– sweating – thirst – palpitation of the
blindness – syncopism – aerophobia.

fevers in the human species which tho' generally are not universally contagious. In these cases the disease is not propagated by biting, hence

+

✓ The following symptoms are taken notice of by ~~other Authors~~ Dr Mead "Coma & low "intermitting pulse - cold sweats - ~~great~~ energetic sensibility ~~to~~ in all the senses, especially to cold air - and heat in the Urine" - all of which occur in the malig State of fever. The morbid sensibility to cool air often continues for 2 or 3 days in the yellow fever. "Giddiness, sighing, yawning, red face, fury, hiccups" by Dr Plummer med: Ess: Vol: 6. see Aurelianus p: 210 for symptoms

+ many people escape it who are bitten by dogs that are evidently mad. That canine madness is nothing but a fever induced by the common causes of fever I infer from its symptoms, such as ~~no~~ great heat - red eyes - ~~the~~ Delirium - mania, and from its causes of a putrid of aliment - & contagion, hence ~~the~~ ~~fever~~ its prevailing at the same time with malignant & contagious fevers.

Dr Hufham tells us that ~~many mad Dogs are~~ when a

heart - wakefulness - delirium, Keen eye - white tongue - costiveness - Contraction of the Scrotum, & involuntary emission of Semen - inflam^y blood with yellow Serum." - In a case of Hydrophobia which came under my notice this last Winter 1797 I found the pulse uncommonly tense, such as often occurs in the yellow fever. I have called it a Iron pulse. at the time I was struck with this uncommon force in the pulse, I did not know, or suspect that my patient laboured under Hydrophobia. I bled him his pulse was sizy & cupped. He died next day the 5th of his disorder in Convulsions. - He had been bitten 3 weeks before by a mad Dog on his temple, but of this I was

pestilential fever ravaged Plymouth,
"Many Mad Dogs were running about". Dr
Orders tells us that ~~when~~ During the
prevalence of the plague in Russia in
1770, Mad Dogs were very numerous.
"In the year 1789 says ~~an Dr~~ a Dr
when the Angina maligna ravaged
several parts of Yorkshire, ~~had an epi~~
a disease prevailed among the Dogs in
which some of them run about as if mad,
others staggered as if they were apoplectic,
but in others, the disease shewed itself in
its proper colors. These last had Bubo's
in the Axilla, & every mark of pestilence,
& frequently died within 24 hours from
the first attack, the malady was evidently
contagious, for if ever so many were
confined in the same place, hardly any
escaped. In this complaint, the poor animals
had red eyes, & a remarkable fierce look,

not informed until after his death.
In Med: Comm: vol. 9: p: 342 we have
an acc^t of heat - thirst - & nausea ~~the~~
~~last~~ attending this disease. The last
symptom belongs to malign^t fevers. The
absence of fever is mentioned by some
authors, but ~~this~~ in these cases it is
only misplaced as in the malig^t fevers in
which similar mistakes have often
been made. Dr Baumgarten mentions
priapism as a symptom of Hydroph:
- now this belongs to malig^t state of fever.
By From death coming on in the same
way as in malignant fevers - viz cold
sweats - weak pulse, & involuntary dis-
-charge of Urine. & from the speedy putrefaction
which ~~increased~~ ~~following~~ following death, as in malign^t
fevers where no depletion is used. By from

which is characteristic of the plague in the human species, & it appears to me (says our author, very probable, that the same disease wch Orders & Furham without examining it, have recorded as facts."

To these observations I shall only add under this head, that not only the plague, & angina maligna, spread in common among men & Brutes, but the Influenza, & bilious fever.

It is no more extraordinary that a fever inspirited by the contagious Saliva of a rabid Dr Cooper. animal shd. produce aversion from water, than that the fever produced by the any other cause should produce an aversion to many kinds of Aliment, or to light - cool air, or sounds of any kinds. These are contagious wch produce this symptom as well the Saliva of a mad the typhus fever. the rotter animal. It

the appearances exhibited after death in bodies which have perished by this disorder. These are Inflamn of the throat Oesophagus - Stomach liver - bowels & brain, & above all fluid blood in the Arteries. ~~the last appearance occurs in all the malign states of fever.~~ ~~Morgagni's~~ To these appearances Morgagni adds - ~~yet~~ blood in some instances black & yellow Serum in the blood vessels - strong marks of effusion, & congestions in the lungs - ~~gan~~ Black Bile in the stomach & gall Bladder - the Bladder & penis infld. - gangrene in the bowels & livid spots on the external surface of the skin. now all these appearances occur in persons who have died of fevers of the highest grade of ~~Ma~~ malignity, or inflamy action. One exception - no Inflamn - from excess of morbid action. — conclude therefore that the

is likewise produced by drinking cold water, & all the causes formerly mentioned of w: is called the Spontaneous Hydrophobia.

I said in my letter on this subject last year 1799 I was so satisfied that the disease in the ~~sun~~ Dog which disarranges his ~~the~~ ~~understanding~~ & makes his saliva ~~the remote cause of a fever~~ morbid & infectious, is a real fever, that I look for a time when remedies should be applied ~~for the prevention or~~ with success for cure of it, and thereby the death of a faithful & useful Animal cease to be necessary in order to prevent its spreading among men. — But ~~that~~ 1799 time is come — I have lately heard of two Dogs being cured of this disorder by a Remedy to be mentioned presently.

Hydrophobia is a malignant state of fever, from stimulus. of course the ~~Remedies~~ cure ~~shd~~ be the same as ~~for~~ malig.t fevers. ~~from all other causes, allowing same alterations allowance~~ making for this disorder

The ~~Cure~~ Remedies divide~~s itself~~ themselves into two ~~stages~~ kinds.

1 ~~The prevention~~ such as are proper to prevent the disease. —

2 such as are proper to cure it when formed. —

1 – The first remedy under the 1 head is abstracting, or destroying the Virus. This is done, by cutting, or burning out the wounded part. or 2 by long, and frequent affusions of water upon the wound in order to wash the poison from it. ~~That~~ The small pox has

√ the wound should should be kept
open & running for several months.
In this way a washer woman escaped
the disease, who had bitten by the
same ~~cat~~ Cat which the gentleman
whose case is described by Dr Rotherfill.
Dr Weston of Jamaica relates two
cases of the disease being prevented
by the same means. That the infection
was communicated he infers from
two sheep that were bitten at the
same time, & by the same mad dog,
having taken & died of the disorder.

been prevented by Jno Hunter by cutting out the part in which the puncture was made in the arm with varioloous matter. There can be no reason, why the same practice shd not succeed, if used in time in the Hydrophobia. Authors tell us it has some-times failed, probably because it was used after the poison had contaminated the blood. — V

A 2 preventive - is low diet - such as is recommended to ~~pre~~ prevent, or miti-gate the plague, and yellow fever. The system in this case, like the willow shrub ~~was~~ bends beneath the force of the stimulus of the poison, and thereby prevents its being broken at a future day. If it were possible to prescribe a diet which would transcend the force

V They have derived their credit from some of the following circumstances ~~occurring~~ accompa= ~~after~~ nying the bite of an animal.

1 The Animal may have been angry, but not diseased with ~~the~~ a ~~fev~~ malign: fever in the manner I have described.

2 He may have been ~~wood~~ diseased, but not to such a degree as to have rendered his Saliva infectious. 3 The Saliva may have been so washed of in passing when infectious, the patients ~~Clothing~~, as not have entered the wound made in the skin.

4 There may have been no predispos= =tion in the patient to receive the fever. This is often seen in persons exposed to the contagions of the plague, yellow fever, small pox, & of the infection of the Itch & venereal disease.

of this disease, it shd. be prefered ~~to inoculation~~ ~~vomiting the bilious or fail fever~~ would, but this being impossible, we must weaken the disease, by weakening the System.

I shall say nothing here of the long Catalogue of medicines ~~the~~ which have been used to prevent this disease. no one of them I believe has done any more Good, than the remedies for eradicating the Gout, or the Elixirs which have been used to promote old age.

The interval between the infliction of the wound, or the Attack of the disease is various. From 15 days to 5. 6. 7, and even 11 months. It most commonly comes on in 40 days. — The Small pox, measles, plague and Yellow fever are subject to a similar variety, but upon a smaller scale.

V ~~From faithful inquiries, I have satisfied myself the~~ where the disease occurs many years after the bite of a rabid animal, I am disposed to ascribe it to other causes, & chiefly to fear. —

From many inquiries I am satisfied, that the disease cannot be communicated by the saliva except it be infused into a wound, or applied to a part covered with a thin skin as the lips. much less can it be communicated by ~~the bo~~ handling the blood, or the ~~dead~~ body of a person who has died with the disorder. In Maryland hogs have been ~~ase~~ eaten with safety ~~by the necessa~~ that had been killed by the bite of a mad dog, by the necessa and the milk of a cow has been used without any inconve-nience following it, by a whole family, on the day on which she was seized with this disease, ~~from the~~ & which killed her in a few days. —

Bonnaquestion. Bk vol 7

During the ~~interval betw~~ use of ye preventing remedies, the utmost pains shd be taken to keep up our patients spirits, by inspiring him wth confidence, ~~in the~~ in the use of those remedies.

11. Should we called (as we generally shall be) where these remedies have not been used, or shd. the disease appear in spite of their use, our ~~two~~ first remedy under the 2nd head should be

1 Vs. – all the facts which have ~~no~~ been mentioned relative to its ~~p~~ cause, ~~and~~ symptoms, & the appearance of persons who have died of this disease & all the cures which have been made of malig=nant fevers from other causes, con=spire to enforce the use of the lancet in this disease. To be effectual, it

should be used as in the malignant states of the plague, yellow fever, small pox & gout. ~~Not less than~~ from 100 to 200 ounces of blood will probably be necessary to effect a cure. The pulse, ~~&c &c~~ should govern the use of the lancet here as in other cases of fever. ~~Th~~ This practice in gout ~~tho~~ is founded upon ~~the~~ our reasonings upon the nature of this disease. But it does not rest wholly upon them. There are ~~two~~ several cases upon record in its favor. In a London magazine published about the year 1752 there is an acc^t of a young woman who discovered symptoms of Hydrophobia from the bite of a mad dog. Her friends ~~to~~ proposed to send her to a mad house. To prevent this, she ran hastily down a flight of stairs, at the foot of which she fell,

The 2nd case in favor of V.S. is mentioned in the 48th Vol: of the transactions of the Royal Society of London. A man in whom the disease appeared with all its usual symptoms was cured by the loss of 180 Ounces of blood by repeated bleedings.

These two recoveries by copious blood letting are sufficient to establish its use. But there are others. Dr Rosillac's [It is remarkable that they are the only two cases upon record of genuine strongly marked Hydrophobia from the bite of a rapid animal, having yielded to the power of medicine] the disease relief by V.S. & mitigated before

Xxxiv Volumes.

and cut the temporal Artery. Her friends drugged her into a room, where they waited with impatience for her death. After losing several quarts of blood she fainted — the ~~blood vessel~~ Artery now ceased to pour forth any more blood. After a while she revived, & without any of the ~~a single~~ symptoms of her Hydrophobia, nor did they ever return afterwards. ~~This solitary case is enough to determine us in favor of copious bl.~~ To encourage us, to make trial of this remedy, let us recollect that in ~~for~~ a hundred ~~of~~ instances in the business of life, we act in affairs of equal importance w: the ~~no more than a single~~ but one or two precedents to direct our conduct. ~~The 2nd Remedy for reducing great morbid Action is vomits. as~~ All the other remedies for reducing the morbid Action

death by the loss of ℥xx of Blood by accident, in Dr Plummer's pat: med: Ess: Vol: 6 a spontaneous case cured by the Loss of ℥16 of blood in med: Ess: Vol: 1 by Dr Innis. Dr ~~Hall~~ Wright a Cure from two Vs. & copious sweating. Brooks practice. Vol. 11. p: 149. +

[V Baumgarten says it has never been cured but by evacuations of some kind. He says sweating has sometimes cured it] quoting Dr Dobson medicom: vol: 2 p: 476 — sweating critical. Wright on also Wally — p: 199.

+ The same remedy has succeeded in two Dogs. Dr Coopers by cutting his tail. — & Dr Jardine's by cutting his ears, whereby a plentiful discharge of blood was induced. —

of the system in other diseases may be used with V.S., except cold water. This by exciting painful emotions may en-
-crease the disease. A Salivation should be attempted, and after V.S. it ~~with~~ may more easily be excited than where it has not be used. – It will act by depleting, as well as promoting, a new and less dangerous action in the vessels of the throat. ~~T~~

~~After the system is~~ It is probable, many new Symp-
-toms may be induced ~~by~~ in the system by this new mode of treating this dis-
-order, but after w^h you have heard of the changes w^h different remedies produce in the treatment of other diseases, you will not I hope be deterred in the use of those I have recom-
-mended in

V I formerly pointed out the analogy between Tetanus & Hydrophobia. I confined this analogy to their cause viz debility, & their cure as ~~for~~ they both required tonic Remedies. I have now extended it to previous depletion in both diseases, before the exhib.n of tonic remedies. —

the Hydrophobia.

After the ~~hyper~~ morbid action of the system is sufficiently reduced, tonic med.s should be given. These shd be Bark wine, opium + Hughton calls it. nourishing & cordial diet, and perhaps the Cold Bath. ✓

The new method of cure Gent. has many things to recommend it. It accords with the Unity of disease, and ~~the simplicity~~ of the ~~treating it~~ the remedies which we have established & adopted in all other cases with so much success. I should as soon expect to ~~find~~ find the inhabitants of a new Island ~~de~~ in whom I discovered the Shape & gestures of men to be devoid of reason, as expect to find a any ~~one~~ new disease destitute of all the

I have often complained of the imperfections of the recent nomenclature of Medicine. The mortality of the Disease now under consideration has increased ~~been down lower~~ by its name. The terms Hydrophobia & canine madness convey ideas of ~~the~~ symptoms of the disease only, and of symptoms too that are by no means uniform. ~~for what~~ ~~Tonsiss~~ If the theory I have delivered & the practice I have recommended be just, it ought to be called, the Hydrophobic state of fever. This name ~~will~~ at once associates it with all the other states of fever, and leads us to treat it with the remedies that are proper in fever varying them consistently with the varying state of the system.

properties of those diseases with which we are acquainted, for disease is as much a thing as the body or mind of man. —

2 In favor of an attempt to cure Hydrophobia by the remedies that have been mentioned, we shall have this consolation, that we shall do no harm by using them if they should fail of success, for death is the inevitable of the disease when left in the hands of Nature. V

~~I have often complained of the want of a new nomenclature in medi~~

With respect to Hydrophobia from other causes than the bite of a rabid animal, it is the same — only partial & general — see p. 27. it must be treated according to the nature of the disease of which it is a symptom. If it

arise from sleeping on the cold & damp ground, let it be treated like ~~the~~ all the other morbid affections from the same cause. If from a wound in a tendinous part by the same remedies that were recommended for Tetanus. — If from worms — by medicines which destroy them — if from Hysteria, by the remedies for that disorder, taking care in each case, to be governed by the states of the pulse. —

The Hydrophobia from ~~Association~~ fear may be cured by exciting an idea that shall overpower the ~~exci~~ morbid action which fear has invited to the throat. A Clergyman in New Jersey lately visited one of his parishioners who was hastening to the Grave with the

Hydrophobia. While he sat with him he inadvertantly took up a pipe of tobacco which the distracted man has just laid down, & put it into his mouth, & smoked with it for a few minutes. When he came home he recollected what he had done. The thoughts of it filled him with horror. ~~He~~ He was instantly affected with a difficulty of swallowing & dread of water. — ~~His~~ The Elders of his church were sent for to console him. A Physician ~~was of~~ was sent for at the same time who ~~upon hearing~~ took a part in the conversation of ~~the~~ his patient with his friends, ~~but it was~~ his opinions however were so ~~contrary~~ heterodox & so offensive to ~~the clergy~~ the Clergyman that he

The Hydrophobia in all the last cases
y have been mentioned, seems to
~~be~~ differ from the Hydrophobic state
~~from~~ brot on by the bite of a rabid animal,
of fever, in being a mere local disease,
or being accomp.d with but a small
affection of the whole system. — Thus
we see ~~an inflam.~~ ~~of the kid~~ ~~a~~ ~~obstr~~ suppression of the
Urine from a malignant fever, and the same
disease without fever from a Calculus
irritating the kidneys. Many other in=
=stances of affections being ~~local~~ symptoms
of a general disease, or simply local
diseases might be mentioned. —

was thrown into a passion in hearing & refuting them, by which means his Hydrophobia was instantly cured. ✓

~~I have often lamented the want of a new nomenclature on medicine. I have attempted it by dividing fevers into stages according to its grades, and seats. To that attempt, permit me the terms Hydrophobia conveys no other idea, than one of the symptoms~~

In a review of what has been said of the Hydrophobic state of fever, we perceive the extension of the principle we adopted respecting the Unity of the proximate & remote causes of fever, also of its method of cure. You will perceive further that

the lancet. ~~which~~ It is what Dr Mead happily calls Opium. "Magnum Dei donum" a great gift of God to man. ~~It has~~ To its former triumphs over ~~disease &~~ death, we can now add, it has disarmed the Hydrophobia of its mortality — a disease which ~~for the~~ has for ages ~~stood~~ spread ~~rare~~ unequalled terror ~~among~~ & distress among mankind

there is the same difference between the knowledge of a Physician who prescribes for distinct genera & species of diseases, and of one who prescribes for the state of the system without regarding the names of diseases, that there is between the knowledge we obtain of the ~~extent~~ ~~is between viewing but a few feet~~ ~~of the sky from~~ ~~of the sky~~ ~~a few feet of it from~~ ~~the~~ extent of the sky by viewing a the bottom of a well, and ~~a~~ viewing from the top of a mountain, at a single glance, the whole canopy of heaven.

I cannot dismiss the subject of Hydrophobia without ~~expiring~~ calling upon to do homage to the Lancet. "Venerate the plough" said ~~the poet Thompson~~ elegant author of the Season. Venerate likewise